Our ref: WK/201203683

Please ask for: David Rowe

Direct Dial: 01473 433016

Email: david.rowe@ipswich.gov.uk

Mike Grimwood Operations Manager – Bereavement Services Ipswich Crematorium Cemetery Lane Ipswich IP4 2TQ



Grafton House 15-17 Russell Road Ipswich Suffolk IP1 2DE

www.ipswich.gov.uk

7th August 2012

Dear Mike

RE:Ipswich Crematorium, Cemetery Lane, Ipswich The Pollution Prevention and Control Act 1999

I write regarding your [permit for the above premises. I have considered your request to operate one of the new cremators without mercury abatement and any other monitoring for a short period. This is to allow the installation of the second new cremator and the abatement system to be fully installed and commissioned.

We have considered you request and while this is technically not in compliant with the permit, guidance and regulations we are willing to allow it and not take any enforcement action, subject to the following conditions.

1 This situation will continue no longer than 30th September 2012 by which time the new cremators will be fully commissioned and working in compliance with regulations and guidance.

2 Not more than 200 cremations will take place

3 Should the new cremator malfunction or dark smoke becomes visible it should be shut down and appropriate repairs undertaken and we should be informed.

In coming to this discussion we have considered the following

1 The current old cremator being used has no mercury abatement and a dispensation has been given in relation to monitoring as per the permit conditions.

2 The new cremator has been installed as per the manufacturer's instructions and performance and emissions from the new cremator is likely to be less than the old ones.

3 The period of operation is short.

4 We do not believe the impact of the environment will be any greater than it currently is using the old cremator.

Yours sincerely

David Rowe Environmental Health

Cc Mark Hunter, Operations Manager, Ipswich Borough Council Building and Design Service