Risk Assessment for Waste Oil Burners

Site	Ofton Motors, 23 Westbourne Road					
Process carried out	PG 1/1(04)					
Date	23.02.11					

	V	lai -	B1 / A	C	C				
To	Yes	No	N/A	Score	Comments				
Table A: Compliance									
(a) Incident leading to justified									
complaint but no breach of any permit									
condition	0	0	0	0					
(b) Incident leading to a justified	5 per								
complaint	incident	0	0	0	As frequency of				
(c) Breach of permit not leading to	10 per				visits has				
formal action	incident	0	0	0					
(d) Incident leading to formal caution,	15				changed, no				
Enforcement Notice or prosecution	15 per				inspection had				
() 7	incident	0	0	0	been carried out				
(e) Incident leading to a Prohibition	20 per				at the time of this				
Notice or Suspension Notice	incident	0	0	0	risk assessment.				
Table B: Monito	<mark>rıng, ma</mark>	<u>intenan</u>	ce and re	ecords					
(a) Are emissions monitored as									
required in the permit?	0	10	0	0					
(b) Process operation modified where									
any problems indicated by									
monitoring?	0	5	0	0					
(c) Does the operator have records									
showing that each appliance has been									
serviced regularly in accordance with									
the manufacturer's instructions?									
	0	5	0	0	As frequency of				
(d) Are there records of servicing for a					visits has				
minimum of three years prior to					changed, no				
inspection?	0	5	0	0	•				
(e) All relevant documents forwarded					been carried out				
to the authority by the date required?					at the time of this				
, , , ,	-5	10	0	0	risk assessment.				
Table C: Management, Training, Responsibility									
(a) Are clear instructions available at									
all times on or near the appliance									
detailing the correct operation and									
maintenance of the equipment ?	0	5	0	0					
(b) Are nominated trained members									
of staff exclusively permitted to									
operate the appliance?	0	5	0	0					
(c) Is list of staff permitted to operate									
the appliance available?	0	5	0	0					

(d) Are records kept of training					
received by operating staff?	0	5	0	0	As frequency of
(e) Are staff nominated to operate the					visits has
appliance on site while appliance is in					changed, no
use?	0	5	0	0	inspection had
(f) Is an 'appropriate' environmental					been carried out
management system in place and					at the time of this
working effectively?	-5	0	0	0	risk assessment.
Overall Score			0		
Category (<30pts:low, 30-55pts:medium, >55pts:high)					

Risk assessment score based on the one given by DR on the 23.02.11.